



MATERIAL SAFETY DATA SHEET

Section 1: Product and Company Information

Product Name(s): Woven Unidirectional Fiberglass Fabric (A-Style Warp Unidirectional), Stitchbonded Fiberglass Fabric, Woven Fiberglass Fabric

Manufacturer: Owens-Corning, World Headquarters, One Owens-Corning Parkway
Attn. Product Stewardship, Toledo, OH, 43659,
Telephone: 1-419-248-8234 (8am-5pm ET weekdays).
OC Fabrics, 1851 S. Sequin Ave., New Braunfels, TX, 78130
Telephone: 1-210-629-4009 (8am-5pm CT weekdays).

Emergency Contacts:

Emergencies ONLY (after 5pm ET and weekends): 1-419-248-5330,
CHEMTREC (24 hours everyday): 1-800-424-9300,
CANUTEC (Canada- 24 hours everyday): 1-613-996-6666.

Health and Technical Contacts:

Health Issues Information (8am-5pm ET): 1-419-248-8234,
Technical Product Information (8am-5pm ET): 1-800-GET-PINK.

Section 2: Composition and Ingredient Information

<u>Common Name</u>	<u>Chemical Name</u>	<u>CAS No.</u>	<u>Wt. %</u>
Non-Hazardous Ingredients			
Fiber Glass Continuous Filament (non respirable)	Fibrous Glass	65997-17-3	94-100
Size	Size	None	0-2
Polyester Yarn	Polyester Yarn	None	0-4

Note: See Section 8 of MSDS for exposure limit data for these ingredients.



MATERIAL SAFETY DATA SHEET

Section 3: Hazards Identification

Appearance and Odor: White/off-white colored solid with no odor.

Emergency Overview

No unusual conditions are expected from this product

Primary Route(s) of Exposure: inhalation, skin, eye

Potential Health Effects:

ACUTE (short term): Fiber glass continuous filament is a mechanical irritant. Breathing dusts and fibers may cause short term irritation of the mouth, nose and throat. Skin contact with dust and fibers may cause itching and short term irritation. Eye contact with dust and fibers may cause short term mechanical irritation. Ingestion may cause short term mechanical irritation of the stomach and intestines. See Section 8 for exposure controls.

CHRONIC (long term): There is no known health effects connected with long term use or contact with this product. See Section 11 of MSDS for more toxicological data.

Medical Conditions Aggravated by Exposure: Long term breathing or skin conditions that are aggravated by mechanical irritants may be at a higher risk for worsening from use or contact with this product.



MATERIAL SAFETY DATA SHEET

Section 4: First Aid Measures

Inhalation: Move person to fresh air. Seek medical attention if irritation persists.

Eye Contact: Flush eyes with running water for at least 15 minutes. Seek medical attention if irritation persists.

Skin Contact: Wash with mild soap and running water. Use a washcloth to help remove fibers. To avoid more irritation, do not rub or scratch affected areas. Rubbing or scratching may force fibers into skin. Seek medical attention if irritation persists.

Ingestion: Ingestion of this material is unlikely. If it does occur, watch the person for several days to make sure that intestinal blockage does not occur.

Section 5: Fire Fighting Measures

Flash Point and Method: None

Flammability Limits (%): None.

Auto Ignition Temperature: Not Applicable.

Extinguishing Media: Water, foam, CO₂ or dry chemical.

Unusual Fire and Explosion Hazards: None known.

Fire Fighting Instructions: Use self contained breathing apparatus (SCBA) in a sustained fire.

Hazardous Combustion Products: Primary combustion products are carbon monoxide, carbon dioxide and water. Other undetermined compounds could be released in small quantities.



MATERIAL SAFETY DATA SHEET

Section 6: Accidental Release Measures

Land Spill: Scoop up material and put into suitable container for disposal as a non-hazardous waste.

Water Spill: This material will sink and disperse along the bottom of waterways and ponds. It can not easily be removed after it is waterborne; however, the material is non-hazardous in water.

Air Release: This material will settle out of the air. If concentrated on land it can then be scooped up for disposal as a non-hazardous waste.

Section 7: Handling and Storage

Storage Temperature: Not applicable.

Storage Pressure: Not applicable.

General: No special storage or handling procedures are required for this material.



MATERIAL SAFETY DATA SHEET

Section 8: Exposure Controls and Personal Protection

<u>Ingredient</u>	<u>OSHA PEL</u> (8-hr TWA)	<u>ACGIH TLV</u> (8-hr TWA)
Fiber Glass Continuous Filament	5 mg/m ³ (respirable dust) 15 mg/m ³ (total dust 1 fiber/cc (proposed)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Size	None Established	None Established
Polyester Yarn	5 mg/m ³ (respirable dust) 15 mg/m ³ (total dust	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

Ventilation: General dilution ventilation and/or local exhaust ventilation should be provided as necessary to maintain exposures below regulatory limits.

Personal Protection:

Respiratory Protection: A properly fitted NIOSH/MSHA approved disposable dust respirator such as the 3M model 8210 (or 8710) or model 9900 (in high humidity environments) or equivalent should be used when: high dust levels are encountered; the level of glass fibers in the air exceeds the OSHA permissible limits; or if irritation occurs. Use respiratory protection in accordance with your company's respiratory protection program, local regulations and OSHA regulations under 29 CFR 1910.134.

Skin Protection: Loose fitting long sleeved shirt that covers to the base of the neck, long pants and gloves. Skin irritation is known to occur chiefly at pressure points such as around neck, wrist, waist and between fingers.

Eye Protection: Safety glasses or goggles.



MATERIAL SAFETY DATA SHEET

Work and Hygienic Practices: Handle using good industrial hygiene and safety practices. Avoid unnecessary contact with dusts and fibers by using good local exhaust ventilation. Remove material from the skin and eyes after contact. Remove material from clothing using vacuum equipment (never use compressed air and always wash work clothes separately from other clothing. Wipe out the washer or sink to prevent loose glass fibers from getting on other clothing). Keep the work area clean of dusts and fibers made during fabrication by using vacuum equipment to clean up dusts and fibers (avoid sweeping or using compressed air as these techniques re-suspend dusts and fibers into the air.) Have access to safety showers and eye wash stations.

Section 9: Physical and Chemical Properties

Vapor Pressure (mm Hg @ 20°C): Not Applicable **pH:** Not Applicable

Vapor Density (Air=1): Not Applicable

Specific Gravity (Water=1): 2.60

Boiling Point: Not Applicable

Solubility in Water: Insoluble

Viscosity: Not Applicable

Appearance: Solid

Physical State: Solid

Odor Type: None

Freezing Point: Not Applicable

Evaporation Rate (n-Butyl Acetate=1): Not Applicable



MATERIAL SAFETY DATA SHEET

Section 10: Stability and Reactivity

General: Stable

Incompatible Materials and Conditions to Avoid: None

Hazardous Decomposition Products: Sizings or binders may decompose in a fire.
See Section 5 of MSDS for combustion products statement.

Hazardous Polymerization: Will not occur.

Section 11: Toxicological Information

CARCINOGENICITY: The table below indicates whether or not each agency has listed each ingredients as a carcinogen:

<u>Ingredient</u>	<u>ACGIH</u>	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>
Fiber Glass Continuous Filament	A4	3	No	No
Size	No	No	No	No
Polyester Yarn	No	No	No	No
	<u>LD50_Oral</u> (g/kg)	<u>LD50_Dermal</u> (g/kg)	<u>LC50_Inhalation</u> (ppm, 8 hrs.)	
Fiber Glass Continuous Filament	Not Available	Not Available	Not Available	
Size	Not Available	Not Available	Not Available	
Polyester Yarn	Not Available	Not Available	Not Available	



MATERIAL SAFETY DATA SHEET

Fiber Glass Continuous Filament: The International Agency for Research on Cancer (IARC) in June, 1987, categorized fiber glass continuous filament as not classifiable with respect to human carcinogenicity (Group 3). The evidence from human as well as animal studies was evaluated by IARC as insufficient to classify fiber glass continuous filament as a possible, probable, or confirmed cancer causing material.

Section 12: Ecological Information

This material is not expected to cause harm to animals, plants or fish.

Section 13: Disposal Considerations

RCRA Hazard Class: Non-hazardous.



MATERIAL SAFETY DATA SHEET

Section 14: Transport Information

DOT Shipping Names: Not regulated

Hazard Class or Division: None

Secondary: None

Identification No.: None

Packing Group: None

Label(s) required (if not excepted): None

Special Provisions: None

Packaging Exceptions: None

Non-bulk Packaging: None

Bulk packaging: None

EPA Hazardous Substances: None

RQ: None

Quantity Limitations: Passenger Aircraft: None
Cargo Aircraft: None

Marine Pollutants: None

Freight Description: None

Hazardous Material Shipping Description: None



MATERIAL SAFETY DATA SHEET

Transportation of Dangerous Goods - Canada

Proper Shipping Name: Not Regulated

TDG Hazard Classification: (Primary): None (Secondary): None

IMO Classification: None

ICAO/IATA Classification: None

Product Identification Number: None

Packing Group: None

Control Temperature: None

Emergency Temperature: None

Schedule XII Quantity Restriction: None

Reportable Quantity for US Shipments: None

IATA Packing Instructions:

Passenger/Cargo: None

Cargo Only: None

Limited Quantity: None

Maximum Net Quantity per Package:

Passenger/Cargo: None

Cargo Only: None

Limited Quantity: None

Special Provisions: None



MATERIAL SAFETY DATA SHEET

Section 15: Regulatory Information

TSCA Status: Each ingredient is on the Inventory.

NSR Status (Canada): Each ingredient is on the DSL.

SARA Title III:

Hazard Categories:

Acute Health: Yes
Chronic Health: No
Fire Hazard: No
Pressure Hazard: No
Reactivity Hazard: No

Reportable Ingredients:

Sec. 302/304: None
Sec. 313: None

California Proposition 65: No ingredient is listed.

Clean Air Act: No ingredient is listed.

WHMIS (Canada): Status: Not Controlled
WHMIS Classification(s): None

Section 16: Other Information

<u>HMIS and NFPA Hazard Rating:</u>	<u>Category</u>	<u>HMIS</u>	<u>NFPA</u>
	Acute Health	1	1
	Flammability	0	0
	Reactivity	0	0

NFPA Unusual Hazards: None.

HMIS Personal Protection: To be supplied by user depending upon use.

Revision Summary: This is a new MSDS. (Reformatted 11/25/98)